



#### **LaserPerformance NORTH AMERICA**

300 Highpoint Avenue  
Portsmouth, Rhode Island 02871  
USA  
t +1 800 966 SAIL  
f +1 401 683 0990

#### **LaserPerformance EUROPE**

Station Works, Long Buckby  
Northamptonshire NN6 7PF  
United Kingdom  
t +44 (0) 1327 841600  
f +44 (0) 1327 841601

#### **LaserPerformance ASIA**

Room 3415  
China Merchants Tower  
Shun Tak Centre  
No. 168-200 Connaught Road Central  
Hong Kong  
t +852 2902 2818  
f +852 2587 7868

#### **LaserPerformance MIDDLE EAST**

po Box 18323  
Jebel Ali Free Zone  
Dubai, UAE  
t +9714 881 7190  
f +9714 881 7522

#### **LASERPERFORMANCE.COM**


All rights reserved. ©2009 LaserPerformance.  
LaserPerformance and associated logos are  
trademarks. Laser, SB3, Sunfish, and Dart are  
trademarks used under license. LaserPerformance  
reserves the right to make design and/or specifica-  
tion changes to any of their products as part of  
their continuous development program.

# Optimist Parts Locator

*LaserPerformance*<sup>™</sup>



# Optimist Parts & Accesories



- Spars**
- 89411** Boom
  - 89021** Mast
  - 89800** Sprit

- Hiking Straps**
- 91167** Hiking strap plate
  - 91144** Hiking strap
  - 91097** Eyestraps, 4 hole
  - 91100** Eyestraps, regular
  - 91099** Eyestraps, looped for aft end of hiking strap



# Optimist Technical Information

Hull Weight	77 lbs	34.93 KG
LOA	7.7 ft	2.35 m
Beam	3.7 ft	1.13 m
Draft	3.2 ft	0.98 m
Sail Area	35 sq ft	3.25 sq m

## Optimist Line Specifications

<u>Description</u>	<u>Diameter (in)</u>	<u>Diameter (mm)</u>	<u>Type</u>	<u>Length</u>	<u>Quantity</u>
DB Retainer Tubing	3/8 in		clear tube	6 in	1
DB Retainer	1/4 in	6mm	shockcord	5 ft	1
Hiking strap lift	3/16 in	5mm	shockcord	2 ft	1
Bow Loop	1/8 in	3mm	spectra	1 ft	1
Vang	3/16 in	5mm	prestrech	2 ft 3 in	1
Sail Ties	1/16 in	2mm	spectra	13 in	12
Corner Ties	1/16 in	2mm	spectra	22 in	5
Painter	3/16 in	5mm	prestrech	30 ft	1
Boom Jaw Retainer	1/16 in	2mm	spectra	1 ft 6 in	1
Daggerboard Tie Down	1/8 in	3mm	spectra	5 ft 6 in	1
Mainsheet Bridle Safety	1/16 in	2mm	spectra	1 ft 6 in	1
Upper Sprit Halyard	3/16 in	5mm	prestrech	3 ft 6 in	1
Lower Sprit Halyard	3/16 in	5mm	prestrech	4 ft	1
Outhaul	5/31 in	4mm	prestrech	4 ft 2 in	1
Mast Tie In	1/8 in	3mm	spectra	2 ft	1
Mainsheet	5/16 in	8mm	prestrech	24 ft	1
Mainsheet Bridle	1/8 in	3mm	spectra	6 ft	1